

ACA-EHB: Zero Dollar Copay Preventive Medication List

The Patient Protection and Affordable Care Act (ACA) is the health care reform law passed by Congress and signed by President Obama in 2010; it requires that new and non-grandfathered health plans cover preventive essential health benefits (EHB) without charging a copayment, coinsurance, or deductible. Plans that meet the definition of a "grandfathered" plan are not subject to EHB requirements. EHBs include a variety of preventative services and medications that are outlined by the United States Preventive Services Task Force (USPSTF) recommendations with an A or B rating, recommendations from the Advisory Committee on Immunization Practices (ACIP), and guidelines supported by the Health Resources and Services Administration (HRSA) for pediatrics and women. Based on the recommendations of USPSTF, HRSA, and the Centers for Disease Control and Prevention (CDC)/ACIP, MedImpact has identified medications to be covered under the pharmacy benefit.

USPSTF, HRSA, and ACIP/CDC recommendation updates can occur at any time and health plans have specified timelines to implement these recommendations in compliance with federal law. New recommendations will be required to be covered without cost-sharing starting with the plan year (or in the individual market, the policy year) that begins on or after the date that is one year after the date the recommendation is issued. State specific requirements may vary. Implementation dates are vetted internally with MedImpact regulatory compliance partners, and MedImpact will continuously monitor for ACA-related guidance and updates to ensure compliance with all regulations.

Regarding the inclusion of branded and generic products on the EHB Zero Dollar Copay List, plans may cover a generic drug without cost-sharing and impose cost-sharing for equivalent branded drugs; however, a plan or issuer must accommodate any individual for whom the generic drug would be medically inappropriate (as determined by the individual's health care provider) with a mechanism for waiving the otherwise applicable cost-sharing for the branded or non-preferred brand version.

Definitions and Abbreviations			
ACA: Patient Protection and Affordable Care Act, also called "PPACA" or "Obamacare" ACIP: Advisory Committee on Immunization Practices CDC: Centers for Disease Control and Prevention	FDA: United States Food & Drug Administration HRSA: Health Resources and Services Administration MSB: Multiple-source brand; available as brand-name and as generic equivalents/alternatives NCCN: National Comprehensive Cancer Network	OTC: Over-the-counter PA: Prior authorization SSB: Single source brand; drug marketed/sold protected under patent exclusivity USPSTF: United States Preventive Services Task Force	

Summary of 2Q21 ACA/EHB Zero Dollar Copay List Updates (effective 7/1/2021)		
Change	Action	Rationale
EHB Bowel Preparations	Modify: Bowel preparations age restriction from age	To align with USPSTF recommended age for colorectal cancer screening (final recommendation made 5/18/2021).

Last reviewed: 7/1/2021 Last revised: 7/1/2021 **Medimpact**



50-75 to age 45-75	
years old.	

Standard ACA-EHB Zero Dollar Copay Table

All medications, including specified over the counter (OTC) items (e.g., aspirin, contraceptives, folic acid, iron), included on the MedImpact EHB Zero Dollar Copay standard table are covered at zero copay if the member has a valid prescription; however, some medications are only covered at a zero copay for the population specified (e.g., specified age range).

Drug	Edit	Comments		
Aspirin Drug List				
Aspirin	N/A	Generics only		
Barrier Contracepti	ves Drug List			
Barrier contraceptives	Quantity limit of 30 per 30 days (female condoms)	Cervical cap, Diaphragms, Nonoxynol 9, Female condoms		
Breast Cancer Prev	ention Drug List			
Raloxifene Tamoxifen Anastrozole Exemestane	Age ≥35 Quantity limit of 1 per day (exemestane, anastrozole)	Generics only Age qualification allows patients to begin treatment after/within applicable age		
Bowel Preparation	Bowel Preparation Drug List			
FDA-approved bowel preparations	Age 45-75 years Quantity limit of 2 per year	SSB and generics Clenpiq, PEG 3350 plus electrolytes (e.g., Colyte, Golytely, MoviPrep, Nulytely), OsmoPrep, Plenvu, Prepopik, Suprep, Sutab		
Contraceptives Dru	g List			
Oral and ring hormonal contraceptives	Step therapy (if applicable)	SSB and Generics		
Transdermal contraceptives	N/A	Generics only (Xulane by Mylan)		
Other contraceptive forms	Quantity limit of 1 per year (Nexplanon) and 1 per 90 days (Depo-Provera)	Covered products include the following: Depo-Provera, Liletta, Mirena, Nexplanon, ParaGard, Skyla		
Fluoride Drug List	Fluoride Drug List			
Fluoride	Age 6 months to 6 years	Generics only		
Folic Acid Drug List				
Folic acid	N/A	Generics only		





Drug	Edit	Comments
		0.4 mg, 0.8 mg only
Iron Drug List		
Ferrous sulfate	Age 6-12 months	Generics only 15 mg/mL oral drops only
PrEP Drug List		
Truvada (emtricitabine, FTC/tenofovir disoproxil fumarate, TDF) Viread (TDF) Emtriva (FTC)	Quantity limit of 1 tablet per day No concurrent use of HIV medications for the treatment of HIV	Generics only Tenofovir alafenamide (TAF)- containing agents are not included at this time.
Statin Drug List		
Low-moderate intensity generic and certain brand statins	Age 40-75 years No concurrent use of secondary prevention medications [e.g., Aggrenox (aspirin/dipyridamole), Plavix (clopidogrel), dipyridamole, nitroglycerin (oral, sublingual, transdermal, translingual), Effient (prasugrel), Brilinta (ticagrelor), ticlopidine, Zontivity (vorapaxar)] Quantity limited to statin dosages at low-to-moderate intensity Prior Authorization: Flolipid PA for patients unable to use tablet simvastatin; SSB/MSB PA for patients unable to use generics Step Therapy: (Altoprev, Lescol, Lescol XL, and Zypitamag)	Generics and one SSB (Livalo) Low-moderate intensity daily dosing: • Crestor (rosuvastatin) 5-10 mg • Lescol (fluvastatin) 20-80 mg (40 mg twice daily) • Lescol XL (fluvastatin) 80 mg • Lipitor (atorvastatin) 10-20 mg • Livalo (pitavastatin calcium) 1-4 mg • Mevacor (lovastatin) 10-40 mg • Pravachol (pravastatin) 10-80 mg • Zocor (simvastatin) 5-40 mg

Optional ACA-EHB Zero Dollar Copay Tables

Additional product categories, such as vaccines and smoking cessation agents, may be covered by an in-network provider on the medical benefit, pharmacy benefit, or both, as determined by the plan. MedImpact has developed optional tables for clients who elect to cover these agents on the pharmacy benefit. Immunizations for routine use, or ACIPs recommended immunizations for all persons may

Last reviewed: 7/1/2021 Last revised: 7/1/2021 **Medimpact**



include the vaccines listed on the optional table. Except for the flu vaccine, which may not coincide with a "well child" visit, most vaccines for children age 18 years or younger are covered via the plan's medical benefit, frequently administered at the routine "well child" visits. As adults do not typically visit the provider's office as frequently or routinely as children, routine items such as tetanus, recommended for all adults, is provided on the optional vaccine table. Certain vaccines are recommended for adults on the basis of age, lifestyle, health conditions, job, international travel, and previous vaccines received; as some conditions and/or risk factors warrant evaluation for immunocompromising states, chronic conditions, or asplenia, these vaccines are left to the determination of the provider.

Vaccine	Edit
Optional Vaccines – Influenza Table	
Influenza vaccines	Age ≥ 18 years for Flublok, ≥ 65 for Fluzone High Dose and Fluad, Quantity limit of 1 dose per 180 days
Optional Vaccines – Other Table	
Human papillomavirus (Gardasil 9)	Age 9-26 years, Quantity limit of 3 doses per 365 days
Hepatitis A (Vaqta, Havrix)	Age ≥18 years, Quantity limit of 2 doses per 365 days
Hepatitis B	Age ≥18 years, Quantity limit of 3 doses per 365 days (Engerix-B Adult; Recombivax HB); 2 doses per 365 days (Heplisav-B)
Hepatitis B/Hepatitis A combo (TwinRix)	Age ≥18 years, Quantity limit of 4 doses per 365 days
Measles, mumps, rubella (MMR)	Age ≥18 years, Quantity limit of 2 doses per 365 days
Meningococcal serogroup B vaccine (Bexsero, Trumenba)	Age 10-25 years, Quantity limit of 2 doses per 365 days (Bexsero); 3 doses per 365 days (Trumenba)
Meningococcal quadrivalent conjugate [MenACWY (Menactra, Menveo, MenQuadfi)]	Age 11-23 years, Quantity limit of 1 dose per 365 days
Pneumococcal polysaccharide (Pneumovax 23)	Age ≥65 years, Quantity limit of 1 dose per 365 days
Tetanus, diphtheria, pertussis (Tdap) Tetanus, diphtheria (Td)	Age ≥ 18 years, Quantity limit of 1 dose per 365 days
Varicella	Age ≥ 18 years, Quantity limit of 2 doses per 365 days
Zoster vaccine, live (Zostavax)	Age ≥ 60 years, Quantity limit of 1 dose per 365 days
Zoster vaccine, recombinant (Shingrix)	Age ≥ 50 years, Quantity limit of 2 doses per 365 days

Drug Edit Comments

Optional EHB Smoking Cessation Table

QL edit allows for up to a 180-day supply per year (two 90-day smoking attempts) with selected agent(s) utilized contributing to the total.





Drug	Edit	Comments
bupropion (generic for Zyban)	Age ≥ 18 years, Quantity limit	Generic only
Chantix (varenicline)	Age ≥ 18 years, Quantity limit	SSB
Nicotine inhaler (Nicotrol)	Age ≥ 18 years, Quantity limit, Step Therapy: trial of nicotine transdermal patch	Prescription
Nicotine spray (Nicotrol NS)	Age ≥ 18 years, Quantity limit, Step Therapy: trial of nicotine transdermal patch	Prescription
Nicotine gum or lozenge	Age ≥ 18 years, Quantity limit	OTC
Nicotine transdermal patches	Age ≥ 18 years, Quantity limit	OTC

Additional information regarding ACA requirements can be viewed at the following websites:

- CDC: Advisory Committee on Immunization Practices (ACIP) Vaccine Recommendations and Guidelines
- HealthCare.gov: Preventive care benefits for adults
- US Department of Labor FAQs about ACA Implementation (Part XXVI)
- US Preventive Services Task Force Recommendations for Primary Care Practice
- The Center for Consumer Information & Insurance Oversight: Affordable Care Act Implementation FAQs- Set 18

